

STENCIL STONE

IT'S WRITTEN IN STONE



STENCIL STONE



STENCIL STONE SPECIFICATIONS

STOCK SIZES

3.5" x 7 5/8" x 15 5/8"	90mm x 190mm x 390mm
3.5" x 7 5/8" x 23 5/8"	90mm x 190mm x 590mm
3.5" x 11 5/8" x 23 5/8"	90mm x 290mm x 590mm
3.5" x 15 5/8" x 23 5/8"	90mm x 390mm x 590mm

Custom size pricing available by request.
All Stencil Stones are available only in
Tapestry Finish with a 10mm (3/8") bevel.

Stone Colours



Pearl White · Tapestry



Chamois · Tapestry



Executive Grey · Tapestry



Antique Bronze · Tapestry

LETTER STYLE (black lettering only)

Allegro 34135

LITHOGRAPH 49707

Roman 65423

Dauphin 98350

Benguiat 92210

- Stencil Stone exceeds the CSA A165.2 Series-94 and the ASTM C-55-01a specifications
- Stencil Stone will not flake or deteriorate whether it is used above grade, at grade or even below grade.
- Maximum water absorption by mass not to exceed 8 percent
- Recommended to be installed with Type 'N' masonry cement (see TEK 9-1A Mortars for Concrete Masonry)
- Stencil Stone is manufactured using as integral water repellent agent which inhibits water absorption and efflorescence for a lifetime of performance.
- Minimum compressive strength 4,000 PSI
- Recommended mortar joint 1/2"
- Cold Weather construction – refer to installation guidelines
- Manufactured Under U.S. Patent 4,335,549 and Canadian Patents 1,169,265 and 2,127,191.

STOCK DATE STONES



Stock Date Stones are available in Pearl White with Benguiat letter style (see sample above).

STONE LAYOUT

Please sketch the information exactly as you want it to appear on your stone. Letter and number sizes will be smaller depending on the length of the words, the border if any and the lettering style selected. A layout proof will be provided before the stone is manufactured. Stone delivery two weeks after approval of layout proof.

Custom lettering and logo Stencil Stones are available, please provide a vector based Corel Draw or Adobe Illustrator file. Additional charges will be applied for bitmap files.

